



KP31.. Korpus przyłączki prostej z gwintem calowym BSP z uszczelką płaską.




Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	100	KP3101	4-8X1	1/8
L	100	KP3102	6-10X1	1/8
L	100	KP3103	8-12X1	1/8
L	315	KP3104	6-12X1,5	1/8
L	315	KP3105	8-14X1,5	1/4
L	315	KP3106	10-16X1,5	1/4
L	315	KP3107	12-18X1,5	3/8
L	315	KP3108	15-22X1,5	1/2
L	315	KP3109	18-26X1,5	1/2
L	160	KP3110	22-30X2	3/4
L	160	KP3111	28-36X2	1
L	160	KP3112	35-45X2	1 1/4
L	160	KP3113	42-52X2	1 1/2
S	630	KP3114	6-14X1,5	1/4
S	630	KP3115	8-16X1,5	1/4
S	630	KP3116	10-18X1,5	3/8
S	630	KP3117	12-20X1,5	3/8
S	630	KP3118	14-22X1,5	1/2
S	400	KP3119	16-24X1,5	1/2
S	400	KP3120	20-30X2	3/4
S	400	KP3121	25-36X2	1
S	400	KP3122	30-42X2	1 1/4
S	315	KP3123	38-52X2	1 1/2
L	315	KP3124	6-12X1,5	1/4
L	315	KP3125	8-14X1,5	1/8
L	315	KP3126	8-14X1,5	3/8
L	315	KP3127	8-14X1,5	1/2
L	315	KP3128	10-16X1,5	1/8
L	315	KP3129	10-16X1,5	3/8
L	315	KP3130	10-16X1,5	1/2
L	315	KP3131	12-18X1,5	1/4
L	315	KP3132	12-18X1,5	1/2
L	315	KP3133	15-22X1,5	3/8
L	160	KP3134	18-27X2	3/4
L	160	KP3135	18-27X2	1/2
L	315	KP3136	18-26X1,5	3/4
S	630	KP3137	12-20X1,5	1/2
S	630	KP3138	14-22X1,5	3/8
S	400	KP3139	16-24X1,5	3/8

KP31.. Korpus przyłączki prostej z gwintem calowym BSP z uszczelką płaską.




Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
S	400	KP3140	20-30X2	1/2
S	400	KP3141	25-36X2	3/4
S	400	KP3142	30-42X2	1
S	630	KP3143	8-16X1,5	3/8
S	630	KP3144	10-18X1,5	1/4
S	630	KP3145	10-18X1,5	1/2
S	630	KP3146	12-20X1,5	1/4
S	400	KP3147	16-24X1,5	3/4
S	400	KP3148	20-30X2	1
S	315	KP3149	38-52X2	1 1/4
L	315	KP3150	15-22X1,5	3/4
L	160	KP3151	22-30X2	1/2
L	160	KP3152	22-30X2	1
L	160	KP3153	28-36X2	3/4
S	160	KP3154	35-45X2	1
L	315	KP3155	6-12X1,5	3/8
L	160	KP3156	42-52X2	1 1/4

KP32.. Korpus przyłączki prostej calowej BSP z nakrętką obrotową.




<i>Seria</i>	<i>Ciśnienie BAR</i>	<i>Kod</i>	<i>O rurki i gwint M</i>	<i>Gwint G przyłączeniowy</i>
L	315	KP3201	6-12X1,5	1/8
L	315	KP3202	8-14X1,5	1/4
L	315	KP3203	10-16X1,5	1/4
L	315	KP3204	12-18X1,5	3/8
L	315	KP3205	15-22X1,5	1/2
L	315	KP3206	18-26X1,5	1/2
L	160	KP3207	22-30X2	3/4
L	160	KP3208	28-36X2	1
L	160	KP3209	35-45X2	1 1/4
L	160	KP3210	42-52X2	1 1/2
S	630	KP3211	6-14X1,5	1/4
S	630	KP3212	8-16X1,5	1/4
S	630	KP3213	10-18X1,5	3/8
S	630	KP3214	12-20X1,5	3/8
S	630	KP3215	14-22X1,5	1/2
S	400	KP3216	16-24X1,5	1/2
S	400	KP3217	20-30X2	3/4
S	400	KP3218	25-36X2	1
S	400	KP3219	30-42X2	1 1/4
S	315	KP3220	38-52X2	1 1/2

KP33.. Korpus przyłączki prostej z gwintem stożkowym stalowym BSPT.




Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	100	KP3301	4-8X1	1/8
L	100	KP3302	6-10X1	1/8
L	100	KP3303	8-12X1	1/8
L	315	KP3304	6-12X1,5	1/8
L	315	KP3305	8-14X1,5	1/4
L	315	KP3306	10-16X1,5	1/4
L	315	KP3307	12-18X1,5	3/8
L	315	KP3308	15-22X1,5	1/2
L	315	KP3309	18-26X1,5	1/2
L	160	KP3310	22-30X2	3/4
L	160	KP3311	28-36X2	1
L	160	KP3312	35-42X2	1 1/4
L	160	KP3313	42-52X2	1 1/2
S	630	KP3314	6-14X1,5	1/4
S	630	KP3315	8-16X1,5	1/4
S	630	KP3316	10-18X1,5	3/8
S	630	KP3317	12-20X1,5	3/8
S	630	KP3318	14-22X1,5	1/2
S	400	KP3319	16-24X1,5	1/2
S	400	KP3320	20-30X2	3/4
S	400	KP3321	25-36X2	1
S	400	KP3322	30-42X2	1 1/4
S	315	KP3323	38-52X2	1 1/2
L	315	KP3324	6-12X1,5	1/4
L	315	KP3325	8-14X1,5	1/8
L	315	KP3326	8-14X1,5	3/8
L	315	KP3327	8-14X1,5	1/2
L	315	KP3328	10-16X1,5	1/8
L	315	KP3329	10-16X1,5	3/8
L	315	KP3330	10-16X1,5	1/2
L	315	KP3331	12-18X1,5	1/4
L	315	KP3332	12-18X1,5	1/2
L	315	KP3333	15-22X1,5	3/8
L	315	KP3334	18-26X1,5	3/4
S	630	KP3335	12-20X1,5	1/2
S	630	KP3336	14-22X1,5	3/8
S	400	KP3337	16-24X1,5	3/8
S	400	KP3338	20-30X2	1/2
S	400	KP3339	25-36X2	3/4
S	400	KP3340	30-42X2	1

KR33.. Korpus złączki prostej z gwintem wewnętrznym calowym BSP.




Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	315	KR3301	6-12X1,5	1/8
L	315	KR3302	8-14X1,5	1/4
L	315	KR3303	10-16X1,5	1/4
L	315	KR3304	12-18X1,5	3/8
L	315	KR3305	15-22X1,5	1/2
L	315	KR3306	18-26X1,5	1/2
L	160	KR3307	22-30X2	3/4
L	160	KR3308	28-36X2	1
L	160	KR3309	35-42X2	1 1/4
L	160	KR3310	42-52X2	1 1/2
S	630	KR3311	6-14X1,5	1/4
S	630	KR3312	8-16X1,5	1/4
S	630	KR3313	10-18X1,5	3/8
S	630	KR3314	12-20X1,5	3/8
S	630	KR3315	14-22X1,5	1/2
S	400	KR3316	16-24X1,5	1/2
S	400	KR3317	20-30X2	3/4
S	400	KR3318	25-36X2	1
S	400	KR3319	30-42X2	1 1/4
S	315	KR3320	38-52X2	1 1/2

KK37.. Korpus przyłączki kolankowej stalowej z przeciwnakrętką i pierścieniem uszczelniającym.




<i>Seria</i>	<i>Ciśnienie BAR</i>	<i>Kod</i>	<i>O rurki i gwint</i>	<i>G gwint przyłączeniowy</i>
L	315	KK3701	6-12X1,5	1/8
L	315	KK3702	8-14X1,5	1/4
L	315	KK3703	10-16X1,5	1/4
L	250	KK3704	12-18X1,5	3/8
L	250	KK3705	15-22x1,5	1/2
L	250	KK3706	16-22X1,5	1/2
L	250	KK3707	18-26X1,5	1/2
L	160	KK3708	18-27X2	1/2
L	160	KK3709	22-30X2	3/4
L	160	KK3710	28-36X2	1
L	160	KK3711	35-42X2	1 1/4
L	160	KK3712	42-52X2	1 1/2
S	315	KK3713	6-14X1,5	1/4
S	315	KK3714	8-16X1,5	1/4
S	250	KK3715	10-18X1,5	3/8
S	250	KK3716	12-20X1,5	3/8
S	250	KK3717	14-22X1,5	1/2
S	250	KK3718	16-24X1,5	1/2
S	250	KK3719	20-30X2	3/4
S	200	KK3720	25-36X2	1
S	200	KK3721	30-42X2	1 1/4
S	160	KK3722	38-52X2	1 1/2

KK38.. Korpus przyłączki kolankowej z gwintem calowym BSP – typ BANJO z nakrętką i uszczelką.




Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	100	KK3801	4-8X1	1/8
L	100	KK3802	6-10X1	1/8
L	100	KK3803	8-12X1	1/8
L	315	KK3804	6-12X1,5	1/8
L	315	KK3805	8-14X1,5	1/4
L	315	KK3806	10-16X1,5	1/4
L	315	KK3807	12-18X1,5	3/8
L	315	KK3808	15-22X1,5	1/2
L	315	KK3809	18-26X1,5	1/2
L	160	KK3810	22-30X2	3/4
L	160	KK3811	28-36X2	1
L	160	KK3812	35-45X2	1 1/4
L	160	KK3813	42-52X2	1 1/2
S	630	KK3814	6-14X1,5	1/4
S	630	KK3815	8-16X1,5	1/4
S	630	KK3816	10-18X1,5	3/8
S	630	KK3817	12-20X1,5	3/8
S	630	KK3818	14-22X1,5	1/2
S	400	KK3819	16-24X1,5	1/2
S	400	KK3820	20-30X2	3/4
S	400	KK3821	25-36X2	1
S	400	KK3822	30-42X2	1 1/4
S	315	KK3823	38-52X2	1 1/2

KK39.. Korpus przyłączki kolankowej z gwintem stożkowym calowym BSPT.





Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	100	KK3901	4-8X1	1/8
L	100	KK3902	6-10X1	1/8
L	100	KK3903	8-12X1	1/8
L	315	KK3904	6-12X1,5	1/8
L	315	KK3905	8-14X1,5	1/4
L	315	KK3906	10-16X1,5	1/4
L	315	KK3907	12-18X1,5	3/8
L	315	KK3908	15-22X1,5	1/2
L	315	KK3909	18-26X1,5	1/2
L	160	KK3910	22-30X2	3/4
L	160	KK3911	28-36X2	1
L	160	KK3912	35-45X2	1 1/4
L	160	KK3913	42-52X2	1 1/2
S	630	KK3914	6-14X1,5	1/4
S	630	KK3915	8-16X1,5	1/4
S	630	KK3916	10-18X1,5	3/8
S	630	KK3917	12-20X1,5	3/8
S	630	KK3918	14-22X1,5	1/2
S	400	KK3919	16-24X15	1/2
S	400	KK3920	20-30X2	3/4
S	400	KK3921	25-36X2	1
S	400	KK3922	30-42X2	1 1/4
S	315	KK3923	38-52X2	1 1/2
L	315	KK3924	6-12X1,5	1/4
L	315	KK3925	8-14X1,5	1/8
L	315	KK3926	8-14X1,5	3/8
L	315	KK3927	8-14X1,5	1/2
L	315	KK3928	10-16X1,5	1/8
L	315	KK3929	10-16X1,5	3/8
L	315	KK3930	10-16X1,5	1/2
L	315	KK3931	12-18X1,5	1/4
L	315	KK3932	12-18X1,5	1/2
L	315	KK3933	15-22X1,5	3/8
L	315	KK3934	18-26X1,5	3/4
S	630	KK3935	12-20X1,5	1/2
S	630	KK3936	14-22X1,5	3/8
S	400	KK3937	16-24X1,5	3/8
S	400	KK3938	20-30X2	1/2
S	400	KK3939	25-36X2	3/4
S	400	KK3940	30-42X2	1

KT37.. Korpus przyłączki trójnikowej z gwintem stożkowym calowym – BSPT symetryczny.



<i>Seria</i>	<i>Ciśnienie BAR</i>	<i>Kod</i>	<i>O rurki i gwint</i>	<i>G gwint przyłączeniowy</i>
L	100	KT3701	4-8X1	1/8
L	100	KT3702	6-10X1	1/8
L	100	KT3703	8-12X1	1/8
L	315	KT3704	6-12X1,5	1/8
L	315	KT3705	8-14X1,5	1/4
L	315	KT3706	10-16X1,5	1/4
L	315	KT3707	12-18X1,5	3/8
L	315	KT3708	15-22X1,5	1/2
L	315	KT3709	18-26X1,5	1/2
L	160	KT3710	22-30X2	3/4
L	160	KT3711	28-36X2	1
L	160	KT3712	35-45X2	1 1/4
L	160	KT3713	42-52X2	1 1/2
S	630	KT3714	6-14X1,5	1/4
S	630	KT3715	8-16X1,5	1/4
S	630	KT3716	10-18X1,5	3/8
S	630	KT3717	12-20X1,5	3/8
S	630	KT3718	14-22X1,5	1/2
S	400	KT3719	16-24X1,5	1/2
S	400	KT3720	20-30X2	3/4
S	400	KT3721	25-36X2	1
S	400	KT3722	30-42X2	1 1/4
S	315	KT3723	38-52X2	1 1/2

KT38.. Korpus przyłączki trójnikowej z gwintem stożkowym calowym BSPT niesymetryczny.



Seria	Ciśnienie BAR	Kod	O rurki i gwint	G gwint przyłączeniowy
L	100	KT3801	4-8x1	1/8
L	100	KT3802	6-10x1	1/8
L	100	KT3803	8-12x1	1/8
L	315	KT3804	6-12x1,5	1/8
L	315	KT3805	8-14x1,5	1/4
L	315	KT3806	10-16x1,5	1/4
L	315	KT3807	12-18x1,5	3/8
L	315	KT3808	15-22x1,5	1/2
L	315	KT3809	18-26x1,5	1/2
L	160	KT3810	22-30x2	3/4
L	160	KT3811	28-36x2	1
L	160	KT3812	35-45x2	1 1/4
L	160	KT3813	42-52x2	1 1/2
S	630	KT3814	6-14x1,5	1/4
S	630	KT3815	8-16x1,5	1/4
S	630	KT3816	10-18x1,5	3/8
S	630	KT3817	12-20x1,5	3/8
S	630	KT3818	14-22x1,5	1/2
S	400	KT3819	16-24x1,5	1/2
S	400	KT3820	20-30x2	3/4
S	400	KT3821	25-36x2	1
S	400	KT3822	30-42x2	1 1/4
S	315	KT3823	38-52x2	1 1/2